



## ABSTRACT

The present invention provides pyrazole derivatives represented by the general formula:



wherein  $R^1$  represents H, an optionally substituted  $C_{1-6}$  alkyl group etc.; one of Q and T represents a group selected from the following groups:



, and the other represents  $-(CH_2)_n-Ar$  wherein Ar represents an optionally substituted  $C_{6-10}$  aryl group or an optionally substituted  $C_{1-9}$  heteroaryl group; and n represents an integral number from 0 to 2, an optionally substituted  $C_{1-6}$  alkoxy group, an optionally substituted amino group, an optionally substituted  $C_{2-9}$  heterocycloalkyl group or an optionally substituted heterocycle-fused phenyl group; R represents an optionally substituted  $C_{3-8}$  cycloalkyl group, an optionally substituted  $C_{6-10}$  aryl group etc., pharmaceutically acceptable salts thereof or prodrugs thereof, which exhibit an excellent inhibitory activity in human 1,5-anhydroglucitol/fructose/mannose transporter and are useful as agents for the prevention,

15

20

inhibition of progression or treatment of a disease associated with the excess uptake of at least a kind of carbohydrates selected from glucose, fructose and mannose or a disease associated with hyperglycemia (e.g., diabetic complications, diabetes, etc.),

5 and pharmaceutical compositions comprising the same, pharmaceutical uses thereof, and intermediates for production thereof.